IRANIAN JOURNAL OF CATALYSIS



Potassium Nitrosodisulfonate (Fremy's salt)

Compiled by Toktam Faal Rastegar

Toktam Faal Rastegar was born in Quchan (Iran). She completed her B.Sc. in Chemistry in 2005 from Ferdowsi University, Mashhad. She was graduated from M.Sc. degree in Organic Chemistry from Bu-Ali Sina University (2008), Hamadan, Iran. She is currently Organic Chemistry Ph.D student under the supervision of Prof. A. Khazaei and Prof. M.A. Zolfigol in Department of Chemistry at Bu-Ali Sina University, Hamedan, Iran. Her research interest is organic methodology especially the application of solid acids in organic synthesis.


Faculty of Chemistry, University of Bu-Ali Sina, Zip Code 65178, Hamedan, Iran, Email: tf.rastegar@gmail.com



This feature focuses on a reagent chosen by a postgraduate, highlighting the uses and preparation of the reagent in current research.

Introduction

One of the major trends in modern organic synthesis is the development of very selective reagents. In the area of oxidation of organic compounds, the number of such selective oxidizing agents is still fairly small. Potassium nitrosodisulfonate or Fremy's salt is one of the few [1]. It is discovered in 1845 by Edmond Fremy, is a typical long-lived radical that can oxidizes phenols and Aromatic amines [2]. The first oxidation of an organic compound by Fremy's salt was achieved by Raschig who converted aniline into nitrosobenzene [3].



Scheme 1. Fremy's salt


Preparation

Fremy's salt is commercially available but can also be readily prepared. Practically it involves an oxidation of hydroxylaminedisulfonate, $HON(SO_3K)_2$, in an alkaline solutions. $HON(SO_3K)_2$ is easily prepared by the reaction between sodium bisulfite and sodium nitrite.

 $NaNO_2 + 2NaHSO_4 \rightarrow HON(SO_3Na) + NaOH$

According to ref. [1], potassium permanganate used as an oxidizing agent. The precipitated manganese dioxide is removed by gravity filtration. The filtrate is allowed to come to room temperature, and stirred steadily while saturated potassium chloride solution is added dropwise over a period of about 45 min. The orange solid is collected on a Büchner funnel washed with ammoniacal saturated potassium chloride solution, twice with ammoniacal methanol and finally with acetone. The orange crystals are stored in a desiccator over calcium oxide, in the presence of ammonium carbonate in a separate dish to provide an ammoniacal atmosphere. Under these conditions even this relatively crude material is stable for several months.

Abstracts



References

- [1] H. Zimmer, D.C. Lankin, S.W. Horgan, Chem. Rev., 71 (1971) 229-246.
- [2] J. Morey, J. Chem. Educ., 65 (1988) 627.
- [3] F. Raschig, "Schwefel- and Stickstoff-Studien," Verlag Chemie, Leipzig-Berlin, 1924.
- [4] J.F. Hansen, D.E. Vietti, J. Org. Chem., 41 (1976) 2871-2873.
- [5] G.A. Kraus, N. Selvakumar, Tetrahedron Lett., 40 (1999) 2039-2040.
- [6] A. Takuwa, R. Kai, Bull. Chem. Soc. Jpn., 63 (1990) 623-625.

- [7] J.M. Saa, C. Marti, A.G. Raso, J. Org. Chem., 57 (1992) 589-594.
- [8] E.W. Chia, A.N. Pearce, M.V. Berridge, L. Larsen, N.B. Perry, C.E. Sansom, C.A. Godfrey, L.R. Hanton, G.L. Lu, M. Walton, W.A. Denny, V.L. Webb, B.R. Copp, J.L. Harper, Bioorg. Med. Chem., 16 (2008) 9432-9442.
- [9] M.C. Batissou, D. Latreche, J. Gentili, N. Walchshofer, Z. Bouaziz, Chem. Pharm. Bull. 52 (2004) 1114-1116.
- [10] A.G. Raso, P.M. Deya, J.M. Saa, J. Org. Chem., 51 (1986) 4285-4287.
- [11] E. Chapoteau, B.P. Czech, A. Kumar, A. Pose, J. Org. Chem., 54 (1989) 861-867.