



# Biosynthesis of selenium nanoparticles using plant extracts


Krystyna Pyrzynska<sup>1</sup> · Aleksandra Sentkowska<sup>2</sup>

Received: 4 March 2021 / Accepted: 22 July 2021 / Published online: 28 July 2021  
© The Author(s) 2021

## Abstract

Selenium nanoparticles (SeNPs) have the potential to be used for various applications. Therefore, they have attracted more attention in recent years and several synthesis methods have been exploited. Green synthesis using plant extracts has gained popularity because it requires non-toxic solvents and moderate temperatures. Furthermore, it is environmentally friendly and uses a reducing agent that is easily accessible and biodegradable. In this review, we present recent reports concerning the capability of different plant materials for the biosynthesis of selenium nanoparticles. The synthesis conditions (temperature, time, selenium precursor, and extract concentration) are discussed in combination with the characteristics of the obtained product (composition, size, shape, stability). The application of synthesized selenium nanoparticles was briefly presented.

## Graphic abstract



**Keywords** Selenium nanoparticles · Plant extracts · Green synthesis · Antioxidant activity · Applications

## Introduction

In recent years, there has been growing interest in selenium due to its important function in human health [1, 2]. Selenium plays a key role in several major metabolic pathways, such as thyroid hormone metabolism and immune functions.

✉ Krystyna Pyrzynska  
kryspyrz@chem.uw.edu.pl

<sup>1</sup> Department of Chemistry, University of Warsaw, Pasteura 1 Str, 02-093 Warsaw, Poland

<sup>2</sup> Heavy Ion Laboratory, University of Warsaw, Pasteura 5A, 02-093 Warsaw, Poland

It also prevents cellular damage induced by free radicals by incorporation into antioxidant enzymes. Se deficiency has been linked to a range of serious conditions such as cancer, cardiovascular and inflammatory diseases [3]. However, long-term Se supplementation or higher concentrations could cause toxicity [4]. In environmental and biological samples, selenium exists in inorganic forms, mainly as selenite Se(IV) and selenate Se(VI) ions, and as organic species with direct Se-C bonds (methylated compounds, selenoamino acids, selenoproteins, and their derivatives). Some plants have the ability to accumulate inorganic Se forms from soil and transform them into bioactive organic species [5]. The



bioavailability and toxicity or the antioxidant and pro-oxidant effects of selenium depend on its chemical form.

Recently, nanoparticles of elemental selenium (SeNPs) have attracted attention. Their synthesis and application continue to be reported and discussed [6–11]. SeNPs differ from the properties of its corresponding bulk materials, similar to other nanoparticles. These properties as well as morphology and size depend on several parameters including a method of synthesis, use of surfactants or additives, reaction temperature, and time [11]. Moreover, their surface can be coated with surfactants and polymers [12]. The toxicity reported for SeNPs was lower in comparison to inorganic and organic forms of selenium [13].

Three main methodologies have been applied for the preparation of selenium nanoparticles covering physical, chemical, and biological methods. In the physical approach for SeNPs synthesis, pulsed laser ablation [14–16], vapour deposition [17], hydrothermal [18] and solvothermal methods [19] were used. The pulsed laser ablation method has the advantage over other methods due to the lack of contamination with chemical reagents, easy collection of NPs by centrifugation, and their high stability.

The most commonly used method for the preparation of SeNPs is a chemical reduction of inorganic selenium forms as the precursors. Ascorbic acid [20–24], glucose [24–26], fructose [27], cysteine [28, 29], glutathione [30], sodium metabisulfite [31] and ionic liquid 1-ethyl-3-methylimidazolium thiocyanate [32] have been used as reducing agents, usually in the presence of stabilizing agent to prevent aggregation of nanoparticles. Water-soluble polymers [22], natural polysaccharides [22, 33], carboxymethyl cellulose [34] or bovine serum albumin [35] have been used for this purpose. However, some residuals of these chemicals limit the applications of the formed SeNPs in the pharmaceutical and medicinal areas. Yu et al. [36] synthesized different Se nanostructures, such as nanoball, nanotube, and multi-armed nanorods, by reducing  $\text{H}_2\text{SeO}_3$  with L-asparagine in polyethylene glycol solution. The reaction was supported by microwave irradiation at 100 °C. The diameter and morphology of SeNPs were controlled by the ratio of L-asparagine/ $\text{H}_2\text{SeO}_3$  and the microwave irradiation time. Extending reaction time resulted in a higher diameter size of the obtained SeNPs and they were aggregated after 15 min of microwave treatment [36].

An alternative green approach towards the synthesis of SeNPs has been reported by using the reducing potential of various microorganisms [37]. Different groups of bacterial strains [39–44] and fungi [44–48] have the ability to reduce selenite or selenate to nano selenium as a method of detoxification. SeNPs may be formed both within the bacterial cells and/or extracellularly. All aspects of the investigations regarding the microbial transformations of selenium species could be found in the relevant reviews, where different

mechanisms are discussed [37, 49–51]. The degree of control over the size and shape of SeNP is high in the chemical synthesis while using microorganisms the spherical and polydisperse SeNP with sizes in the range of 50–500 nm were usually obtained [37].

The utilisation of water plant extracts represents also a better alternative to chemical methods for the synthesis of selenium nanoparticles. That approach requires non-toxic solvents, mild temperatures, and application of the reducing agents that are easily accessible, cheap, biodegradable, and not harmful to the environment. It also reduces the high cost of microorganism's isolation and a final SeNPs purification, when they will be applied in biomedical sectors. Such biogenic methods of synthesis of SeNPs are becoming preferred over the conventional chemical and physical methods due to their reduced toxicity towards the environment which uses living organisms such as plants, microalgae, and other microorganisms. Selenium nanoparticles produced via the green synthesis method can be an alternative to antibiotics. SeNPs showed an antibacterial effect toward standard and antibiotic-resistant phenotypes of Gram-negative and Gram-positive bacteria in a dose-dependent manner [38]. The aim of this review is to show the current knowledge concerning the plant materials' capability for the biosynthesis of selenium nanoparticles and their applications.

## Biosynthesis of SeNPs using plant extracts

Several plants that have been already reported for the preparation of SeNPs are presented in Table 1 and the schematic process of their synthesis is depicted in Fig. 1. In the published papers there is no explanation why this particular plant was chosen for the preparation of selenium nanoparticles. It can be inferred that the determining factor for such choice was the easy availability of the raw materials and some of these plants have traditional and pharmacological uses. Moreover, agricultural waste, such as fruit peels, could be used for synthesis. There is a maximum probability of succeeding by using plant materials which are rich in polyphenols, flavonoids, alkaloids, polysaccharides, saponins, etc. since they are very good reducing and stabilizing agents. Some literature works reported the content of phytochemicals present in prepared plant extracts such as total phenolic compounds and flavonoids [57, 77, 81], tannins [57] and polysaccharides [81] or phytochemical screening showing only qualitatively the presence of main active components [58, 61, 72, 76].

## Extraction

Generally, the chosen part of the plant (leaves, buds, fruit, peel, nuts, seed or pulp) was washed thoroughly


**Table 1** Synthesis of SeNPs using different plants

Plant	Extraction	Preparation of SeNPs	Refs.
Hawthorn	10 g of dried fruits + 200 mL H <sub>2</sub> O, refluxed for 2 h	Extract (2 mg mL <sup>-1</sup> ) + Na <sub>2</sub> SO <sub>3</sub> (10 mol L <sup>-1</sup> ) stirred for 12 h	52
Dried raisin ( <i>Vitis vinifera</i> )	Refluxed for 30 min with water	10 mL extract + 90 mL H <sub>2</sub> SeO <sub>3</sub> (4 × 10 <sup>-5</sup> mol L <sup>-1</sup> ) refluxed for 15 min	53
Lemon plant	5 g + 20 mL of Tris-Cl (pH 7.5)	2 mL extract (from 0.5 g) + 20 mL of Na <sub>2</sub> SO <sub>3</sub> (10 mmol L <sup>-1</sup> ), shaken for 24 h at 30 °C in dark conditions	54
<i>Bougainvillea spectabilis</i>	100 g of dried flowers + 100 mL water, heated at 70 °C for 5–10 min	10 mL of extract + 90 mL 10 mmol L <sup>-1</sup> Na <sub>2</sub> SeO <sub>4</sub> shaken at 36 °C for 5 days	55
Ginger fruit	–	1% extract + Na <sub>2</sub> SeO <sub>3</sub> (10 mmol L <sup>-1</sup> ) at room temperature stirred for 75 h	56
Ashwagandha ( <i>Withania somnifera</i> )	10 g dried leaves + 500 mL water, boiled for 15 min	0.1 mL extract + H <sub>2</sub> SeO <sub>3</sub> (50 mmol L <sup>-1</sup> ) at room temperature, centrifuged, washed with water and acetone	57
Fenugreek ( <i>Trigonella foenum-graecum</i> )	1% extract in water, stirring for 15 min	1 mL of extract + 10 mL H <sub>2</sub> SeO <sub>3</sub> (30 mmol L <sup>-1</sup> ) + 200 μL ascorbic acid (0.04 mol L <sup>-1</sup> ), room temperature 24 h, washed with water, then ethanol	58
Avaram ( <i>Cassia auriculata</i> )	5 g of powdered leaves + 100 mL water, soaked for 30 min	Extract + 100 mL Na <sub>2</sub> SeO <sub>3</sub> (10 mmol L <sup>-1</sup> ), incubated 48 h at room temperature	59
Arauna ( <i>Terminalia arjuna</i> )	5 g + 20 mL of TrisCl (pH 7.5)	2 mL of extract + 20 mL of Na <sub>2</sub> SeO <sub>3</sub> (10 mmol L <sup>-1</sup> ), shaken at 30 °C for 72 h in dark conditions, washed with ethanol	60
Java tea	50 g of dried leaves + 300 mL water, stirring for 15 min, kept for 24 h	1 mL of extract + 10 mL of H <sub>2</sub> SeO <sub>3</sub> (10 mmol L <sup>-1</sup> ) + 200 μL ascorbic acid (40 mmol L <sup>-1</sup> ), 24 h at room temp. washed with water and absolute alcohol	61
Lavender leucas ( <i>Leucs lavandulifolia</i> )	10 g of dry plant + 400 mL water, boiled for 5 min	2 mL of extract + 10 mL of H <sub>2</sub> SeO <sub>3</sub> (50 mmol L <sup>-1</sup> ) + 200 μL of ascorbic acid (40 mmol L <sup>-1</sup> )	62
<i>Aloe vera</i>	30 g of fresh leaves + 20 mL water	25 mL of Na <sub>2</sub> SeO <sub>3</sub> (5 mmol L <sup>-1</sup> ) + plant extract until color was changed, later kept for 72 h	63
<i>Aloe vera</i>	4.69 g of dried leaves + 100 mL of boiling water, 5 min	4.92 mL of extract + 133.03 mL Na <sub>2</sub> SeO <sub>3</sub> (10 mmol L <sup>-1</sup> ) at 121 °C for 15 min	64
Garlic ( <i>Allium sativum</i> )	10 g of garlic buds + water to make a thin paste	25 mL of Na <sub>2</sub> SeO <sub>3</sub> (5 mmol L <sup>-1</sup> ) + extract until color was changed, kept for 72 h. in dark	65
Garlic ( <i>Allium sativum</i> )	Garlic buds + water to make a thin paste	2 mL of extract (2%) + 8 mL of H <sub>2</sub> SeO <sub>3</sub> (30 mmol L <sup>-1</sup> ) + 200 μL of ascorbic acid (40 mmol L <sup>-1</sup> ), 48 h for incubation	66
Garlic ( <i>Allium sativum</i> )	10 g of garlic buds + water to make a thin paste	Extract was added dropwise to 25 mL Na <sub>2</sub> SeO <sub>3</sub> (5 mmol L <sup>-1</sup> ), kept 72 h in dark	67
Garlic ( <i>Allium sativum</i> )	5 g of crushed gloves macerated with 30 mL of Tris-Cl (pH 7.5)	20 mL of extract + dropwise 20 mL of Na <sub>2</sub> SeO <sub>3</sub> (10 mmol L <sup>-1</sup> ), 5–7 days at 36 °C	68
Garlic ( <i>Allium sativum</i> )	–	0.06 g of garlic extract + 20 mL of Na <sub>2</sub> SeO <sub>3</sub> (10 mmol L <sup>-1</sup> ), incubated 4, 24, 48 and 72 h	69
Walnut ( <i>Juglans regia</i> )	1 g of leave powder + 100 mL water, boiling for 5 min	5 mL of extract + Na <sub>2</sub> SeO <sub>3</sub> (10 mmol L <sup>-1</sup> ), heated using microwave oven (800 W for 4 min)	70
Horseshoe geranium ( <i>Pelargonium zonale</i> )	2 g of powdered leaves + 100 mL of boiling water, mixed for 5 min	1.48 mL of extract + 15 mL of Na <sub>2</sub> SeO <sub>3</sub> (10 mmol L <sup>-1</sup> ), heated using microwave oven (800 W for 4 min)	71
<i>Asteriscus graveolens</i>	2 g of powdered aerial part + 200 mL water, boiled for 1 h	75 mL of extract + 25 mL of Na <sub>2</sub> SeO <sub>3</sub> (10 mmol L <sup>-1</sup> ), incubated in dark for 24 h	72
<i>Catharanthus roseus</i>	10 g of flowers + 100 mL water, heated at 90 °C for 5 min	10 mL of extract + 90 mL of Na <sub>2</sub> SeO <sub>3</sub> (10 mmol L <sup>-1</sup> ), kept at 36 °C for a week	73
Orange peel	50 g of grounded peels + 150 mL water, boiled for 15 min	50 mL of extract + 5 mL of Na <sub>2</sub> SeO <sub>3</sub> (100 mmol L <sup>-1</sup> )	74



**Table 1** (continued)

Plant	Extraction	Preparation of SeNPs	Refs.
<i>Clausena dentata</i>	10 g of powdered leaves + 100 mL water, boiled at 60 °C for 5 min	12 mL of extract + 88 mL of selenium powder (1 mmol L <sup>-1</sup> )	75
Mountain persimmon ( <i>Diospyros Montana</i> )	–	10 mL of extract + 100 mL of H <sub>2</sub> SeO <sub>3</sub> (300 mmol L <sup>-1</sup> ) + 2 mL of ascorbic acid (400 mmol L <sup>-1</sup> ). Incubation for 24 h	76
<i>Emblca officinalis</i>	100 g of edible grounded fruit + water (1:2, w/v)	2 mL of extract + 10 mL of Na <sub>2</sub> SeO <sub>3</sub> (100 mmol L <sup>-1</sup> ), in dark for 24 h	77
<i>Ficus benghalensis</i>	25 g of dry leaves + 100 mL of water, boiled at 100 °C	Se powder (0.6 mol L <sup>-1</sup> ) + Na <sub>2</sub> S (3.87 mol L <sup>-1</sup> ) dissolved in 10 mL of water, refluxed at 90 °C for 1 h. Then the formed SeS <sub>2</sub> (0.5 mol L <sup>-1</sup> ) + 100 mL of water + 5 mL of extract, stirred for 10 min at room temperature	78
Drumstick ( <i>Moringa oleifera</i> )	Leaves soaked in 100 mL of water at 67 °C for 4 h	Selenium salt (1 g/100 mL) + extract, kept for 24 h at room temperature	79
Guava ( <i>Psidium guajava</i> )	10 g of leaves + 100 mL 60% ethanol, boiled for 2 min	100 mL of extract + 900 mL of Na <sub>2</sub> SeO <sub>3</sub> (25 mmol L <sup>-1</sup> ), at 60°, incubating for 3 h	80
Cacao bean shell ( <i>Theobroma cacao</i> L.)	6 g of grounded material + water, adjusted to pH 2, heated in the microwave oven (500 W) at 100 °C for 5 min	50 mL of extract + 0.14 g of Na <sub>2</sub> SeO <sub>3</sub> , heating in the microwave oven (788.6 W) for 15.6 min	81

**Fig. 1** Scheme for the synthesis of selenium nanoparticles using plant extract

with deionised water, dried, ground in a mortar and then boiled with water. In some procedures simply soaking process under the continuous stirring condition without heating was applied [54, 57–61, 63, 68, 71, 76]. Garlic cloves were crushed with a mortar and diluted with water [65–67] or Tris–Cl buffer (pH 7.5) [68] to make a thin paste. Microwave irradiation was applied for extraction from cacao bean shell [81]. After this, the solution was filtered or centrifuged and the liquid part was used in the experiments. The differences amongst the prepared plant extracts exist as a result of using different kinds of plants and their different parts as well as extraction temperature and time; e.g. extract prepared from Java tea was filtered only after 24 h [60], while lavender leucas extraction was conducted within 5 min [62].

### Biosynthesis

In SeNPs biosynthesis process, reducing and stabilizing agents are the main factors. Biomolecules present in the extracts of plants, such as polysaccharides, phenolic compounds, flavonoids, tannins, saponins, amino acids, enzymes, proteins, and sugars, are known to be potential reducing agents of selenium and have medicinal importance. Nanoparticles tend to agglomerate, thus, a stabilizer is often used to inhibit their over-growth by coating with a single layer of polymer or surfactant which reduces the interactions between nanoparticles [22, 30, 53, 59]. Some authors reported that the used plant extracts contained phytochemicals that exhibited stabilizing properties [24, 25, 28, 32, 57].

In the synthesis of nanoparticles, the main goal is their formation with minimum particle size and maximum

stability [82]. Many factors affect the obtained nanoparticles, including temperature, pH, extract concentration, type, and concentration of the used precursor. In some papers response surface methodology (RSM) was applied to develop the empirical models for the prediction of the optimal synthesis conditions [64, 71, 81].

In a typical experiment, selenium precursor (sodium selenite or selenate, selenous acid, sodium selenosulphate) was mixed with the plant extract solution at different ratio. The addition of ascorbic acid was used in some procedures as an initiator of reduction reaction [58, 61, 62, 66, 76]. The reacting solution was stirred at room temperature in different time intervals; from 12 h [52] to 72 h [53, 57, 60, 62, 64] and even for 5–7 days [68, 73], sometimes in the dark. Another group of proposed procedures includes heating the mixture at the desired temperature and time. During that incubation process, the colour of the reaction media changes to red, indicating the formation of Se nanoparticles. Finally, the SeNPs can be separated by centrifuging at high speed, washed thoroughly in water and solvent.


The proposed methods for selenium nanoparticles using plant extracts show similarity in the synthesis procedure with little modifications (Table 1). Deepa and Ganesa [73] used  $\text{Na}_2\text{SeO}_4$  as the selenium precursor for reduction reaction, while most often Se(IV) species are applied. This fact was explained by the authors by a long incubation time of 1 week for SeNPs preparation using extract from the flower of *Catharanthus roseus*. Santanu et al. [74] reported that the time required for conversion of selenium selenite to SeNPs was indirectly related to the reduction ability of orange peel extract. The extraction process was found to be the most effective when conducted for 15 min at 40 °C and pH 4.

Melinas et al. [81] proposed the extract from *Theobroma cacao* L. bean shell as a reductant and capping agent for SeNPs synthesis. The kinetic of reaction was increased due

to the use of microwave irradiation with rapid initial heating. It was concluded that SeNPs crystalline size was not significantly affected by time and microwave power and only low amounts of the Se precursor were needed to obtain small-sized nanoparticles. The optimized through RSM synthesis parameters were: 15.6 min, 788.6 W, 0.14 g of sodium selenite and 50 mL of extract solution.


Fardsadegh et al. [71] also used RSM methodology to obtain the optimal condition for fabrication of selenium nanoparticles using *Pelargonium zonale* leaf extract. They evaluated the effects of selenium precursor amount and plant extract on the  $\lambda_{\text{max}}$  value, as higher  $\lambda_{\text{max}}$  correlated to larger particle size. The increase in the amount of  $\text{Na}_2\text{SeO}_3$  at a constant amount of the plant extract, generated the increase of  $\lambda_{\text{max}}$  (Fig. 2). Similar trend was observed for increasing amount of extract at constant amount of  $\text{Na}_2\text{SeO}_3$  solution.

The synthesis with *Aloe vera* leaf extract was conducted under subcritical water conditions due to its capability to generate simultaneously high pressure and high temperature [64]. This hydrothermal synthesis was completed within 15 min. Additionally, central composite design with RSM models were used to evaluate the effects of synthesis parameters on the colour intensity and particle size (Fig. 3). It was found that at a constant amount of  $\text{Na}_2\text{SeO}_3$ , the increase in the amount of extract also caused the increase in SeNPs concentration, observed as the increase in colour intensity. On the other side, at a constant amount of *Aloe vera* extract, the colour intensity decreased with the increase of the amount of  $\text{Na}_2\text{SeO}_3$  solution. Such result was explained by the fact that in the small amounts of plant extract, reducing agents react with selenium ions completely. In fact, the increase in  $\text{Na}_2\text{SeO}_3$  solution amount was causing the increase in the amount of Se ions, while the number of synthesized SeNPs was constant. Their concentration decreased due to an increase in the volume of the reaction solution.



**Fig. 2** Surface and contour plots for  $\lambda_{\text{max}}$  of the synthesized SeNPs as a function of amounts of  $\text{Na}_2\text{SeO}_3$  solution and *Pelargonium zonale* leaf extract. Reprinted with permission by De Gruyter GmbH from Ref. [71]





**Fig. 3** Contour plots of (A) color intensity and (B) particle size of the solution containing SeNPs as a function of the amount of Na<sub>2</sub>SeO<sub>3</sub> solution and *Aloe vera* leaf extract. Reprinted with permission by De Gruyter GmbH from Ref. [64]

## Characterization of SeNPs

The prepared SeNPs were characterized by various spectroscopic and microscopic methods to evaluate their elemental composition, exact morphology and also other physicochemical properties. UV–Vis absorption spectra were recorded for the indication of the Se nanoparticles formation. The color change of the reaction mixture from uncoloured to reddish confirms the synthesis of SeNPs. It was further validated by the progressive rise in optical phenomenon within the characteristic peak between 200 and 400 nm with the increase in reaction time. In the absorption spectra of SeNPs the red-shift occurs because the particle sizes increase [52, 53, 66, 68]. It is worth mentioning that SeNPs synthesized using the reducing potential of various bacteria gave a characteristic peak at 450–600 nm. It had been explained by the diversity of enzymes which catalyze the reduction reaction [43]. Atomic absorption spectroscopy was also used to study the conversion of selenium ions at various time intervals by determining its remaining concentration in supernatant [50].

Scanning emission microscopy (SEM) and transmission electron microscopy (TEM) measurements revealed their size, shape, agglomeration and distribution. Dynamic light scattering (DLS) also helps in the measurement of the particle size and distribution. In some cases, the disagreement between the sizes obtained by TEM and DLS was observed due to the fact that TEM analyzes the metallic core while DLS measures the hydrodynamic volume.

Energy dispersive spectroscopy (EDS) was used for the examination of elemental composition and purity of nanoparticles. The highest content of selenium (82%) in nanoparticles was obtained using the leaf extract of *Cassia auriculata* [59], followed by *Clausena dentate* (72.6%) [75] and *Embllica officinalis* (61.6%) [77]. EDS analysis of SeNPs

revealed the proportion of Se equals to 55% when the extract of garlic bulbs was utilized [63, 65]. Similar values of 54% were reported for ginger fruit [56] and herb *Withania sonnifera* extracts [57]. The other peaks being observed in EDS spectrum were carbon, oxygen, nitrogen, and sodium.

Fourier transform infrared (FTIR) spectroscopy was used to confirm the involvement of O–H, N–H, C=O and C–O functional groups during the formation of SeNPs, which were associated with bioactive molecules capping their surface [53–58, 62–68, 71, 75–77]. The peaks at 1375 cm<sup>-1</sup>, 1030 cm<sup>-1</sup>, 1462 cm<sup>-1</sup> and 1250 cm<sup>-1</sup> representing phenolic OH, aromatic in-plane C–H bending, asymmetric C–H bending (in CH<sub>3</sub> and –CH<sub>2</sub>–) and secondary OH, respectively can be found after the green synthesis of SeNPs. The peaks at 2840 and 2930 cm<sup>-1</sup> representing ether-methoxy-OCH<sub>3</sub> groups, show the presence of the biopolymer lignin associated with SeNPs [53]. Also, novel composite containing TEMPO cellulose, chitosan, starch and selenium nanoparticles was synthesized confirming its structure by FTIR [78]. X-ray diffraction (XRD) pattern reflects the morphology of selenium nanoparticles and their crystalline nature. [42, 48, 53, 60, 73, 75–77]. Raman spectroscopy analysis provides the unique feature of vibrational characteristics of crystal or amorphous nature of SeNPs [66, 77, 84].

The stability of selenium nanoparticles was evaluated by measuring the zeta potential. SeNPs synthesised by plant extracts are covered by a bioorganic layer comprising proteins, polysaccharides and lipids, with a significant proportion of ionised carboxylic groups. These groups, which are typical both of side-chains of some amino acid residues and carboxylated polysaccharides, are responsible for the negative values of SeNPs zeta potentials. The obtained magnitudes deliver information on particle stability. When this absolute value is higher than 30 mV, the colloidal solution

can be considered stable, and there is no agglomeration or flocculation [85]. From literature, it may be observed that the lowest values of zeta potential equals to  $-36$  V were reported for SeNPs synthesized using the extract from lemon plant [53] and ginger fruit [54], followed by the extract of Java tea ( $-34.9$  V) [59] and cacao bean shell ( $-28.6$  V) [81]. The synthesized SeNPs with the spherical average of  $24.3$  nm found to be stable for more than three months without forming any aggregates [54]. Mellinas et al. [82] observed a significant interaction between the reaction time and the amount of  $\text{Na}_2\text{SeO}_3$  (used for the preparation of the precursor solution) on Z-potential. As shown in Fig. 4, the Z-potential as a function of these variables has a minimum. Initially, the Z-potential value decreased with increasing reaction time and the concentration of precursor. After reaching the minimum, the Z-potential increased with increasing both reaction time and the amount of sodium selenite. This was explained by the increase of the free energy of the system that favours the aggregation of nanoparticles and then the decrease in their stability. When the time of synthesis was increased and the amount of Se precursor decreased, SeNPs showed higher stability, which was largely attributed to the stabilizing effect of compounds present in the plant extract.

The incubation temperature during the synthesis of SeNPs could affect their size, shape, and bioavailability. Zhang et al. [86] reported that the  $80$  nm SeNPs after incubation at  $90$  °C for  $1$  h resulted in aggregated into larger  $110$  nm particles and nanorods ( $290$  nm  $\times$   $70$  nm).

## Antioxidant properties of SeNPs

The functions of selenium in the organism are mainly connected with its antioxidant properties, as it is an essential component of antioxidant enzymes such as the glutathione peroxidase group and thioredoxin reductase. They have important roles in scavenging free radicals such as reactive oxygen and nitrogen species, regulating their content produced during the biochemical reaction. Thus, they protect


cells from damage and oxidative stress. SeNPs can increase selenoenzyme activities with equal efficiency but less toxicity, compare to other selenium species [9, 87].

The antioxidant activity of different Se species is still studied [87, 88], but the newest research has also involved selenium nanoparticles [56, 57, 63, 67, 76, 82, 83, 90, 91]. The evaluation of the antioxidant potential of SeNPs was performed using various assays, including 2,2'-diphenylhydrazyl (DPPH) and 2,2'-azino-bis(3-ethylbenzothiazoline-6-sulphonic acid) (ABTS) as well as ferric reducing antioxidant power (FRAP) using standard procedures [92]. However, these methods vary in terms of antioxidant mechanism, redox potential, type of substrate, chemical conditions as well as the way of presenting the results. There is a strong recommendation to use at least two assays which measure different aspects of the antioxidant behavior due to the lack of a standard method for this purpose [93].

Menon et al. [56] compared the percentage of inhibition ratio of SeNPs synthesized using extract of ginger with that of ascorbic acid as a standard compound in a dose-dependent manner in DPPH assay. It showed moderate antioxidant activity as the  $\text{IC}_{50}$  value of SeNPs was estimated at  $125 \mu\text{g mL}^{-1}$ , while for ascorbic acid was  $250 \mu\text{g mL}^{-1}$ . As  $\text{IC}_{50}$  value for SeNPs was lower than that for ascorbic acid, so a higher concentration of this compound is needed to produce a similar effect. Alagesan and Venugopal [57] reported the  $\text{IC}_{50}$  value of  $14.81 \mu\text{g mg}^{-1}$  for similar studies using leaves extract of *Withania somnifera* for preparation of SeNPs within the diameter range of  $45$ – $90$  nm.

Completely opposite results were obtained for *Diospyros montana* leaf extract-mediated synthesis of selenium nanoparticles ( $4$ – $16$  nm) which exhibited  $61\%$  of scavenging activity in DPPH method at the concentration of  $200 \mu\text{g mL}^{-1}$ , compared to the same concentration of ascorbic acid (almost  $100\%$ ) [76]. The  $\text{IC}_{50}$  value of the nanoparticles was  $0.225 \mu\text{g mL}^{-1}$ , while  $0.138 \mu\text{g mL}^{-1}$  for ascorbic acid. Also in FRAP method, the synthesized SeNPs exhibited better reducing power than that of standard ascorbic acid as the  $\text{EC}_{50}$  values of  $0.435 \mu\text{g mL}^{-1}$  and  $0.083 \mu\text{g mL}^{-1}$  were reported [76]. The size of the SeNPs may affect their

**Fig. 4** Response surface plot showing synthesis time vs.  $\text{Na}_2\text{SeO}_3$  amount on Z-potential of SeNPs using *Theobroma cacao* bean shell extract. The Z-potential values on the vertical axis are presented as absolute values. Reprinted with permission by MDPI from Ref. [81]



antioxidant property and the nanoparticles with smaller diameters showed the stronger antioxidant activity [81, 93].

Vyas and Rana found that the average inhibition percentage in DPPH and ABTS assays were 75% and 76%, respectively, in comparison to single *Aloe vera* [63] and *Allium sativum* [67] extracts for SeNPs synthesized using these plant extracts. The obtained results were also higher than those determined for rutin as a standard compound (Fig. 5). However, in FRAP assay rutin showed more reducing activity than both biosynthesized selenium nanoparticles.

The values in ABTS and FRAP assays of 28.6 and 12.4 mg of Trolox equivalent per gram of nanoparticles,


respectively, were reported for SeNPs synthesized with *Theobroma cacao* L. bean shell extract [82]. No significant differences ( $p=0.05$ ) were observed between samples analysed at different time up to 55 days. These nanoparticles possess higher antioxidant activity than the used plant extract itself, such as for SeNPs synthesized with other natural extracts [63, 67, 94].

## Application of SeNPs

Biosynthesized SeNPs have been used in different areas such as medical, agriculture, and industrial sectors because they exhibit low toxicity and are environmentally friendly (Table 2). In this section of review, the main applications of selenium nanoparticles synthesized using the extracts of plant materials are briefly described. More details can be found in several recent review papers [6–10, 95–99].

Several reports have confirmed the anticancer effect of SeNPs obtained by green synthesis [52, 54, 57–59, 66, 72, 76, 77]. Various mechanisms have been suggested for Se anticancer activity including cell cycle arrest, antioxidation, apoptosis, and interruption of cell signalling pathway and there is a lot of literature available on this topic [7, 9, 90, 100–104]. SeNPs can act as a carrier for chemotherapeutic drugs delivering them to the target side, selectively accumulated inside the malignant cells, and caused the reactive oxygen species formation. The production of these reactive species was more efficient than by Se(IV) in a mouse model, generating potent therapeutic effects and promising strategy for cancer therapy [87]. Cui et al. [52] reported that selenium nanoparticles synthesized with hawthorn fruit extract induced HepG2 cells apoptosis mediated through the mitochondria pathway with the promotion of reactive oxygen species. MTT assay revealed higher growth control against A549 lung carcinoma [57] and MCF 7 human breast [58] cancer cells as well as showed good viability against L6 rat skeletal muscle cell line [61] on treatment with SeNPs with minimal toxicity. Additionally, the combination of SeNPs with doxorubicin (chemotherapy drug used to treat cancer) enhanced the cytotoxic effect in comparison to individual ones [53].

*Casia auriculata* leaf extract generated SeNPs exhibited cytotoxicity against Vero cells with the cytotoxic concentration required for the reduction of cell viability by 50% ( $CC_{50}$ ) of  $7.00 \mu\text{g mL}^{-1}$  [59] and for those synthesized using garlic gloves  $CC_{50}$  value was higher ( $31.8 \mu\text{g mL}^{-1}$ ), while Vero cells treated with chemically synthesized nanoparticles (in the presence of polyvinylalcohol as a stabilizer) led to  $CC_{50}$  of  $18.8 \mu\text{g mL}^{-1}$  [68]. This proves that cytotoxicity of SeNPs differs depending on the technology used to synthesis of nanomaterial. Biosynthesized SeNPs exhibited also



**Fig. 5** Antioxidant properties of SeNPs synthesized by *Aloe vera* extract evaluated using DPPH and FRAP assays. Reprinted with permission by Innovare Academic Sciences Pvt. Ltd. from Ref. [63]

**Table 2** Morphology, particle size, Se content and potential applications of SeNPs synthesized using corresponding plant extract

Plant	Morphology	Size by SEM/TEM studies (nm)	Se content (%)	Medical effect/application	Refs.
Hawthorn	spherical	average 113	25.6	Antitumor activity towards HepG2 cells Chemotherapeutic agent for human liver cancer	52
Dried raisin	nanoballs	3–18	–	Potential pharmaceutical	53
Lemon plant	spherical	60–80	48	Prevention of DNA damage when cells were exposed to UVB. Diagnostic agent	54
Bugenwillia	hollow and spherical	18–35	–	–	55
Ginger fruit	spherical	100–150	54	Antimicrobial activity against <i>Proteus</i> sp.	56
Ashwagandha	spherical	40–90	–	Antibacterial activity against <i>Klebsiella pneumoniae</i> and <i>Bacillus subtilis</i> . High control against A549 lung carcinoma cancer cells. Efficiency of degrading methylene blue dye under sunlight irradiation	57
Fenugreek	oval	50–150	–	Inhibiting the breast-cancer cells (MCF-7) growth	58
Avaram	spherical	10–20	82	Antileukemia activity	59
Arauna	spherical	10–80	–	Minimizing arsenic-induced toxicity on human lymphocytes	60
Java tea	spherical	88–141	12.6	Cytotoxic effect against L6 cell lines	61
Lavender leucas	spherical	56–75	–	Antibacterial and anti-fungal activity	62
<i>Aloe vera</i>	spherical	7–48	25	Chemopreventive agent in cancer diagnosis	63
<i>Aloe vera</i>	spherical	121	–	Antimicrobial activity against spoilage fungi and pathogenic bacteria strain	64
Garlic	hollow and spherical	8–52	55	Antimicrobial activity against gram-positive bacteria	65
Garlic	spherical	10–80	–	Direct interaction with DNA. Anticancer agent	66
Garlic	spherical	7–45	55	Potential antioxidant agent	67
Garlic	spherical	40–100	–	Cytotoxicity against Vero cells	68
Garlic	spherical	21–40	–	Antibacterial agent against <i>Staphylococcus aureus</i>	69
Walnut	spherical	150	–	Antibacterial activity against <i>Escherichia coli</i> and <i>Staphylococcus aureus</i>	70
Horseshoe geranium	spherical	50	–	Antibacterial activity against <i>Escherichia coli</i> and <i>Staphylococcus aureus</i>	71
<i>Asteriscus graveolens</i>	spherical	21,6	13.9	Inhibiting HepG2 cell proliferation	72
<i>Catharanthus roseus</i>	spherical	32	32.6	Possible medical applications	73
Orange peel	spherical	70	–	Inhibition of algal blooms	74
<i>Clausena dentate</i>	spherical	46–79	72.6	Insecticidal agent against mosquito vectors	75
Mountain persimmon	spherical	4–16	–	Antimicrobial activity	76
<i>Emblica officinalis</i>		20–60	61.6	Antioxidant and antimicrobial agent	77
<i>Ficus benghalensis</i>	spherical	45–95	–	Photocatalytic degradation of methylene blue dye	78
Drumstick	spherical	23–35	44.6	Inhibition of Caco-2, HepG2 and Mcl-7 cells Photocatalytic degradation of sunset yellow dye	79
Guava	spherical	8–20	–	Antibacterial activity	80
Cacao bean shell	spherical	1–3	–	Antioxidant material	81

antimutagenic activity against UVB-induced DNA damage of isolated lymphocytes [54].

Selenium nanoparticles have been widely used in biomedical applications due to their antimicrobial effect to control the growth of many pathogenic bacteria and fungi [23, 56, 57, 62, 64, 65, 69, 71, 76, 77]. The antimicrobial activity was evaluated by well diffusion method and calculated as Minimum Inhibitory Concentration (MIC), defined as the lowest

concentration of the antimicrobial agent required to inhibit the growth of given microbial species, or as the diameter of inhibition zone expressed in mm. The inhibitory effect of SeNPs on bacteria and fungi may be due to their sorption on the cell wall, penetration through membrane, and entrance to kill the cell [16]. The nanoparticles with a smaller diameter can possibly diffuse the bacteria cell better than the larger ones. Sribenjarat et al. [69] found that SeNPs with size



range within 21–40 nm showed a slightly higher inhibition activity than those of 41–50 nm diameter size. Boroumand et al. [22] evaluated the antibacterial activity of SeNPs on several kinds of gram-positive bacteria (*Staphylococcus aureus*, *Streptococcus epidermidis*) and gram-negative bacteria (*Escherichia coli*, *Pseudomonas aeruginosa*) and found that they exhibited dose-dependent activity against all tested bacterial strains. Particularly significant effects against the gram-positive bacteria were observed with MIC equals to  $125 \text{ mg L}^{-1}$ . The MIC value of SeNPs against *Proteus sp.* of  $250 \text{ mg L}^{-1}$  was reported [56]. Selenium nanoparticles synthesized using Mountain persimmon leaf extract showed antibacterial effect not only against *S. aureus* bacteria (zone of inhibition 8 mm) and *E. coli* (7 mm) but also against *Aspergillus niger* fungi (12 mm) [76]. Likewise, SeNPs synthesized with *Aloe vera* leaf extract exhibited high antimicrobial activity against pathogenic bacteria and spoilage fungi strains [64].

The surface of medical devices may be coated by SeNPs to prevent biofilm formation. They strongly inhibited the growth of *S. aureus* bacteria on the surface by 91% and 73% after 24 and 72 h respectively, in comparison to uncoated polycarbonate surfaces [105]. Numerous paper products such as filter paper, air purifying systems, and wrapping paper used in the food industry were also coated by precipitation of selenium nanoparticles [106]. The Se-coated paper showed 90% of *S. aureus* and *S. epidermidis* inhibition after 72 h of treatment. The results for *P. aeruginosa* and *E. coli* growth were about 57% and 84%, respectively. Thus, the antibacterial and antifungal activity of selenium nanoparticles can be used as an antimicrobial agent. Microbial infection is responsible for many diseases in humans and animals and treatment with antibiotics is not always effective due to their repeated uses resulted in resistance against pathogenic organisms.

SeNPs could be used in the drug delivery system due to easy manipulation in their size and low toxicity [101–103]. They are taken up by cells more efficiently than larger biomolecules. Drugs can either be integrated into the matrix of the particle or attached to its surface. Deng et al. [102–104] developed selenium-layered nanoparticles for oral delivery of mulberry leaf and *Pueraria lobata* extracts with significant hypoglycemic activities. SeNPs exhibited a slow drug release and good physiological stability in the simulated digestive fluid.

A significant number of countries in the world today are affected by groundwater arsenic contamination, which is linked with a significant increase in the risk of cancers. Prasad and Selvaraj [60] reported the protective effect of biogenic SeNP against As(III)-induced cytotoxic and genotoxic effect on human lymphocytes. The enhancement of cells viability had been noticed when arsenite-treated cells were mixed with selenium nanoparticles preventing the death of

lymphocytes. Moreover, the addition of SeNPs into lymphocytes prevented As(III)-induced DNA damage. Selenium nanoparticles have also the ability to decrease the toxicity of other metal ions such Cd, Hg or Cu contained in wastewater or soil [110–113].

Nanoscale selenium is of great interest as an additive to fertilizers [6, 96, 114, 115]. The large surface area and small size of the nanomaterials could allow for enhanced interaction and efficient uptake of selenium for crop. The inorganic selenium compounds used as fertilizers are leached along with rains, while organic compounds can be degraded after applying. SeNPs do not dissolve in water and their transition to plants occurs as a result of gradual oxidation of their surface and release as oxides [114]. Mainly, SeNPs act as stimulator and/or stressor increasing antioxidant defence system, improving vegetative growth and nutritional value of plants [114–118]. The eggplant and tomato growth on the soil with the Se nanoparticle addition at a concentration of  $10 \mu\text{g kg}^{-1}$  showed almost twice the plant leaf plate surface area compared to these plants in untreated soil [115]. Zsiros et al. [116] found that SeNPs even at a concentration of  $100 \text{ mg L}^{-1}$  exerted no negative effect on the growth of plantlets in tobacco cultures.

Selenium nanoparticles synthesized using extract of plants are also very effective materials for photocatalytic degradation of dyes, due to their high surface to volume ratio [57, 78, 79]. These dyes are largely used as colorants in the common food and pharmaceutical industry. Around 60% degradation of methylene blue dye was achieved in 40 min using *Ficus benghalensis* leaf extract. Its degradation followed first-order kinetics with the rate constant of  $1.3 \text{ min}^{-1}$  [77], while the rate constant of  $0.173 \text{ min}^{-1}$  was reported for photodegradation reaction of sunset yellow dye using SeNPs generated with the leaf extract of drumstick tree [80]. Thus, this is an eco-friendly approach for the treatment of wastewater containing dye effluents before being released into an aquatic system.

## Conclusion

Selenium nanoparticles have attracted attention and their synthesis can be potentially useful in various fields. Compared to inorganic and organic selenium species, they display better bioavailability, higher biological activity and lower toxicity. The methods for SeNPs synthesis using plant extracts do not require the use of toxic chemicals, the precursors are easily accessible, inexpensive and do not need any special conditions. That way of synthesis also enables control over the size, shape and stability of nanoparticles. SeNPs synthesized in this manner exhibit particular potential in biomedical applications such as cancer therapy, targeted chemotherapy, molecular diagnosis and drug delivery

system. They could also be found in suitable applications as efficient antioxidants and antibacterial agents in the food and pharmaceutical industry. A lot of work has been carried out emphasizing numerous applications of SeNPs in the technology and agriculture sectors.

The future prospects of selenium nanoparticles include the development of new fast and environment-friendly methodology for their synthesis to obtain nanomaterial with the corresponding size, shape, and properties for the desired application. It will require a better understanding of physical and chemical properties related to the specific use of SeNPs. Due to their less toxicity to normal cells, it is expected that the drugs based on selenium nanoparticles may be commercially available.

## Declarations

**Conflict of interest** The authors declare that they have no conflict of interest.

**Ethical approval** This has not been published elsewhere and is not currently under consideration for publication elsewhere.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

## References

1. Rayman, M.P.: Selenium intake, status, and health: a complex relationship. *Hormones* **19**, 9–14 (2020)
2. Kieliszek, M., Błażej, S.: Current knowledge on the importance of selenium in food for living organisms: a review. *Molecules* **21**, 609 (2016)
3. Misra, S., Boylan, M., Selvan, A., Spallholz, J.E., Björnstedt, M.: Redox-active selenium compounds from toxicity and cell death to cancer treatment. *Nutrients* **7**, 3536–3556 (2015)
4. Rayman, M.P., Winther, K.H., Pastor-Barriuso, R., Cold, F., Thvilum, M., Stranges, S., Guallar, E., Cold, S.: Effect of long-term selenium supplementation on mortality: results from a multiple-dose, randomised controlled trial. *Free Radic. Biol. Med.* **127**, 46–54 (2018)
5. White, P.J.: Selenium metabolism in plants. *Biochim. Biophys. Acta Gen. Subj.* **1862**, 2333–2342 (2018)
6. El-Ramady, H., Abdalla, N., Taha, H.S., Alshaal, T., El-Henawy, A., Faizy, S.E.D., Shams, M.S., Youssef, S.M., Shalaby, T., Bayoumi, Y., Elhawat, N., Shehata, S., Sztrik, A., Prokisch, J., Fári, M., Domokos-Szabolcsy, E., Pilon-Smits, E.A., Selmar, D.,

- Haneklaus, S., Schnug, E.: Selenium and nano-selenium in plant nutrition. *Environ. Chem. Lett.* **14**, 123–147 (2016)
7. Kumar, A., Prasad, K.S.: Role of nano-selenium in health and environment. *J. Biotechnol.* **325**, 152–163 (2021)
8. Skalickova, S., Milosavljevic, V., Cihalova, K., Horky, P., Richtera, L., Adam, V.: Selenium nanoparticles as a nutritional supplement. *Nutrition* **33**, 83–90 (2017)
9. Khurana, A., Tekula, S., Saifi, M.A., Venkatesh, P., Godugu, C.: Therapeutic applications of selenium nanoparticles. *Biomed. Pharmacother.* **111**, 802–812 (2019)
10. Soumya, M., Shrudhi, D.K.S., Santhija, R., Rajeshkumar, S., Venkat, K.S.: Selenium nanoparticles: a potent chemotherapeutic agent and an elucidation of its mechanism. *Colloids Surf. B* **170**, 280–292 (2018)
11. Chaudhary, S., Umar, A., Mehta, S.K.: Selenium nanoparticles: a overview of recent developments in synthesis, properties and potential applications. *Prog. Mater. Sci.* **83**, 270–329 (2016)
12. Kim, C., Hong, J., Park, J.W.: Synthesis and thermoelectric properties of selenium nanoparticles coated with PEDOT:PSS. *Polymers* **11**, 1052 (2019)
13. Bhattacharjee, A., Bastu, A., Bhattacharya, S.: Selenium nanoparticles are less toxic than inorganic and organic selenium in mice in vivo. *Nucleus* **62**, 259–268 (2019)
14. Quintana, M., Haro-Poniatowski, E., Morales, J., Batina, N.: Synthesis of selenium nanoparticles by pulsed laser ablation. *Appl. Surf. Sci.* **195**, 175–186 (2002)
15. Tzeng, W.Y., Tseng, Y.H., Yeh, T.T., Tu, C.M., Sankar, R., Chen, Y.H., Huang, B.H., Chou, F.C., Luo, C.W.: Selenium nanoparticles prepared by femtosecond laser-induced plasma shock wave. *Opt. Express* **28**, 685 (2020)
16. Van Overschelde, O., Guisbiers, G., Snyders, R.: Green synthesis of selenium nanoparticles by excimer pulsed laser ablation in water. *APL Mater* **1**, 042114 (2013)
17. Qin, J., Qiu, G., Jian, J., Zhou, H., Yang, L., Charnas, A., Zemlyanov, D.Y., Xu, C.Y., Xu, X., Wu, W.: Controlled growth of large-size 2D selenium nanosheet and its electronic and optoelectronic applications. *ACS Nano* **11**, 10222 (2017)
18. Shar, A.H., Lakhan, M.N., Wang, J., Ahmed, M., Alali, K.T., Ahmed, R., Ali, I., Dayo, A.Q.: Facile synthesis and characterization of selenium nanoparticles by the hydrothermal approach. *Dig. J. Nanomater. Biostructures* **14**, 867–872 (2019)
19. Panahi-Kalamuei, M., Mousavi-Kamazani, M., Salavati-Niasari, M., Hosseinpour-Mashkani, S.M.: A simple sonochemical approach for synthesis of selenium nanostructures and investigation of its light harvesting application. *Ultrason. Sonochem.* **23**, 246–256 (2016)
20. El Lateef Gharib, F.A., Zeid, I.M., Ghazi, S.M., Ahmed, E.Z.: The response of cowpea (*Vigna unguiculata* L.) plants to foliar application of sodium selenate and selenium nanoparticles (SeNPs). *J. Nanomater. Mol. Nanotechnol.* **8**, 4 (2019)
21. Hussein, H.H., Darwesh, O.M., Mekki, B.B.: Environmentally friendly nano-selenium to improve antioxidant system and growth to groundnut cultivars under sandy soil conditions. *Biocatalys. Agric. Biotechnol.* **18**, 101080 (2019)
22. Boroumand, S., Safari, M., Shaabani, E., Shirzah, M., Faridi-Majidi, R.: Selenium nanoparticles: synthesis, characterization and study of their cytotoxicity, antioxidant and antimicrobial activity. *Mater. Res. Express* **6**, 0850d8 (2019)
23. Gangadoo, S., Stanley, D., Hughes, R.J., Moore, R.J., Chapman, J.: The synthesis and characterisation of highly stable and reproducible selenium nanoparticles. *Inorg. Nano-Met. Chem.* **47**, 1568–1576 (2017)
24. Bartosiak, M., Giersz, J., Jankowski, K.: Analytical monitoring of selenium nanoparticles green synthesis using photochemical vapor generation coupled with MIP-OES and UV-Vis spectrophotometry. *Microchem. J.* **145**, 1169–1175 (2019)



25. Ingole, A.R., Thakare, S.R., Khati, N.T., Wankhade, A.V., Burghate, D.K.: Green synthesis of selenium nanoparticles under ambient condition. *Chalcogenide Lett.* **7**, 485–489 (2010)
26. Nie, T., Wu, H., Wong, K.H., Chen, T.: Facile synthesis of highly uniform selenium nanoparticles using glucose as the reductant and surface decorator to induce cancer cell apoptosis. *J. Mater. Chem. B* **4**, 2351 (2016)
27. Vieira, A.P., Stein, E.M., Andregueti, D.X., Cebrián-Torrejón, G., Doménech-Carbó, A., Colepicolod, P., Ferreira, A.M.D.: “Sweet chemistry”: a green way for obtaining selenium nanoparticles active against cancer cells. *J. Braz. Chem. Soc.* **28**, 2021–2027 (2017)
28. Li, Q., Chen, T., Yang, F., Liu, J., Zheng, W.: Facile and controllable one-step fabrication of selenium nanoparticles assisted by L-cysteine. *Mat. Lett.* **64**, 614–617 (2010)
29. Chen, Z., Shen, Y., Xie, A., Zhu, J., Wu, Z., Huang, F.: L-Cysteine assisted controlled synthesis of selenium nanospheres and nanorods. *Cryst. Growth Des.* **9**, 1327–1333 (2009)
30. Korany, M., Marzook, F., Mahmoud, B., Ahmed, S.A., Ayoub, S.M., Sakr, T.M.: Exhibiting the diagnostic face of selenium nanoparticles as a radio-platform for tumor imaging. *Bioor. Chem.* **100**, 103910 (2020)
31. Hu, T., Li, H., Li, J., Zhao, G., Wu, W., Liu, L., Wang, Q., Guo, Y.: Absorption and bio-transformation of selenium nanoparticles by wheat seedlings (*Triticum aestivum* L.). *Front. Plant Sci.* **9**, 597 (2018)
32. Guleria, A., Neogy, S., Raorane, B.S., Adhikari, S.: Room temperature ionic liquid assisted rapid synthesis of amorphous Se nanoparticles: their prolonged stabilization and antioxidant studies. *Mater. Chem. Phys.* **253**, 123369 (2020)
33. Zhang, Y., Wang, J., Zhang, L.: Creation of highly stable selenium nanoparticles capped with hyperbranched polysaccharide in water. *Langmuir* **26**, 17617–17623 (2010)
34. Zhang, S.Y., Zhang, J., Wang, H.Y., Chen, H.Y.: Synthesis of selenium nanoparticles in the presence of polysaccharides. *Mater. Lett.* **58**, 2590–2594 (2004)
35. Chung, S., Zhou, R., Webster, T.J.: Green synthesized BSA-coated selenium nanoparticles inhibit bacterial growth while promoting mammalian cell growth. *Int. J. Nanomed.* **15**, 115–124 (2020)
36. Yu, B., You, P., Song, M., Yua, Y.Z.F., Zheng, W.: A facile and fast synthetic approach to create selenium nanoparticles with diverse shapes and their antioxidation ability. *New J. Chem.* **40**, 1118–1123 (2016)
37. Husen, A., Siddiqi, K.S.: Plants and microbes assisted selenium nanoparticles: characterization and application. *J. Nanobiotechnol.* **12**, 28 (2014)
38. Geoffrion, L.D., Hesabizadeh, T., Medina-Cruz, D., Kasper, M., Taylor, P., Vernet-Crua, A., Chen, J., Ajo, A., Webster, T.J., Guisbiers, G.: Naked selenium nanoparticles for antibacterial and anticancer treatments. *ACS Omega* **5**, 2660–2669 (2020)
39. Sonkusre, P., Cameotra, S.S.: Biogenic selenium nanoparticles inhibit *Staphylococcus aureus* adherence on different surfaces. *Col. Surf. B Biointerfaces* **136**, 1051–1057 (2015)
40. Srivastava, N., Mukhopadhyay, M.: Biosynthesis and structural characterization of selenium nanoparticles mediated by *Zooglea ramigera*. *Powder Technol.* **244**, 26–29 (2014)
41. Fernández-Llamas, H., Castro, L., Blázquez, M.L., Diaz, E., Carmona, M.: Biosynthesis of selenium nanoparticles by *Azoarcus* sp. *CIB. Microb. Cell Factories* **15**, 109 (2016)
42. Zhang, W., Chen, Z., Liu, H., Zhang, L., Gao, P., Li, D.: Biosynthesis and structural characteristics of selenium nanoparticles by *Pseudomonas alcaliphilia*. *Coll. Surf. B Biointerfer.* **88**, 196–201 (2011)
43. Wadhvani, A.S., Shedbalkar, U.U., Singh, R., Chopade, B.A.: Biogenic selenium nanoparticles: current status and future prospects. *Appl. Microbiol. Biotechnol.* **100**, 2555–2566 (2016)
44. Alam, H., Khatoon, N., Khan, M.A., Hussain, S.A., Saravanan, M., Sardar, M.: Synthesis of selenium nanoparticles using probiotic bacteria *Lactobacillus acidophilus* and their enhanced antimicrobial activity against resistant bacteria. *J. Clust. Sci.* **31**, 1003–1011 (2020)
45. Zare, B., Babaie, S., Setayesh, N., Shahverdi, A.R.: Isolation and characterization of a fungus for extracellular synthesis of small selenium nanoparticles. *Nanomed. J.* **1**, 13–19 (2013)
46. Joshi, S.M., De Britto, S., Jogaiah, S., Ito, S.: Mycogenic selenium nanoparticles as potential new generation broad spectrum antifungal molecules. *Biomolecules* **9**, 419 (2019)
47. Mosallam, F.M., El-Sayyad, G.S., Fathy, R.M., El-Batal, A.I.: Biomolecules-mediated synthesis of selenium nanoparticles using *Aspergillus oryzae* fermented Lupin extract and gamma radiation for hindering the growth of some multidrug-resistant bacteria and pathogenic fungi. *Microb. Pathogenesis* **122**, 108–116 (2018)
48. Zhang, H., Zhou, H., Bai, J., Li, Y., Yang, J., Ma, Q., Qu, Y.: Biosynthesis of selenium nanoparticles mediated by fungus *Mariannaea* sp. HJ and their characterization. *Colloids Surf. A* **571**, 9–16 (2019)
49. Eswayah, A.S., Smith, T.J., Gardiner, P.H.E.: Microbial transformations of selenium species of relevance to bioremediation. *Appl. Environ. Microbiol.* **82**, 4848–4859 (2016)
50. Tugarova, A.V., Kamnev, A.A.: Proteins in microbial synthesis of selenium nanoparticles. *Talanta* **174**, 539–547 (2017)
51. Ojeda, J.J., Merroun, M.L., Tugarova, A.V., Lampis, S., Kamnev, A.A., Gardiner, P.H.E.: Developments in the study and applications of bacterial transformations of selenium species. *Crit. Rev. Biotechnol.* **40**, 1250–1264 (2020)
52. Cui, D., Liang, T., Sun, L., Meng, L., Yang, C., Wang, L., Liang, T., Li, Q.: Green synthesis of selenium nanoparticles with extract of hawthorn fruit induced HepG2 cells apoptosis. *Pharm. Biol.* **56**, 528–534 (2018)
53. Sharma, G., Sharma, A.R., Bhavesh, R., Park, J., Ganbold, B., Nam, J.S., Lee, S.S.: Biomolecule-mediated synthesis of selenium nanoparticles using dried *Vitis vinifera* (raisin) extract. *Molecules* **19**, 2761–2770 (2014)
54. Prasad, K.S., Patel, H., Patel, T., Patel, K., Selvaraj, K.: Biosynthesis of Se nanoparticles and its effect on UV-induces DNA damage. *Colloids Surf. B: Biointerferences* **103**, 261–266 (2013)
55. Deepa, B., Ganesan, V.: Biogenic synthesis and characterization of selenium nanoparticles using the flower of *Bougainvillea spectabilis* willd. *IJSR* **4**, 690–695 (2015)
56. Menon, S., Shrudhi Devi, K.S., Agarval, H., Shanmugam, V.K.: Efficacy of biogenic selenium nanoparticles from an extract of ginger towards evaluation on anti-microbial and anti-oxidant activities. *Colloids Interface Sci. Commun.* **29**, 1–8 (2019)
57. Alagesan, V., Venugopal, S.: Green synthesis of selenium nanoparticles using leaves extract of *Withania somnifera* and its biological applications and photocatalytic activities. *BioNanoScience* **9**, 105–116 (2019)
58. Ramamurthy, C.H., Sampah, K.S., Arunkumar, P., Kumar, M.S., Sujatha, V., Premkumar, K., Thirunavakkarasu, C.: Green synthesis and characterization of selenium nanoparticles and its augmented cytotoxicity with doxorubicin on cancer cells. *Bioprocess Biosys. Eng.* **36**, 1131–1139 (2013)
59. Anu, K., Devanesan, S., Prasanth, R., AlSalhi, M.S., Ajithkumar, S., Singaravelu, G.: Biogenesis of selenium nanoparticles and their anti-leukemia activity. *J. King Saud. Univ. Sci.* **32**, 2520–2526 (2020)



60. Prasad, K.S., Selvaraj, K.: Biogenic synthesis of selenium nanoparticles and their effect on As(III)-induced toxicity on human lymphocytes. *Biol. Trace Elem. Res.* **157**, 275–283 (2014)
61. Sivakumar, C., Jeganathan, K.: In-vitro cytotoxicity of java tea mediated selenium nanoballs against L6 cell lines. *J. Drug Deliv. Ther.* **8**, 195–200 (2018)
62. Kirupakaran, R., Saritha, A., Bhuvanewari, S.: Green synthesis of selenium nanoparticles from leaf ad steam extract of *Leucas lavandulifolia* Sm. and their application. *J. Nanosci. Technol.* **2**, 224–226 (2016)
63. Vyas, J., Rana, S.: Antioxidant activity and biogenic synthesis of selenium nanoparticles using the leaf extract of *Aloe vera*. *Inter. J. Curr. Pharm. Res.* **9**, 147–152 (2017)
64. Fardsadegh, B., Jafarizadeh-Malmiri, H.: *Aloe vera* leaf extract mediated green synthesis of selenium nanoparticles and assessment of their in vitro antimicrobial activity against spoilage fungi and pathogenic bacteria strains. *Green Process Synth.* **8**, 399–407 (2019)
65. Vyas, J., Rana, S.: Synthesis of selenium nanoparticles using *Allium sativum* extract and analysis of their antimicrobial property against gram positive bacteria. *Pharm. Innov. J.* **7**, 262–266 (2018)
66. Ezhuthupurakkal, P.B., Polaki, L.R., Suyavaran, A., Subastri, A., Sujatha, V., Thirunavukkarasu, C.: Selenium nanoparticles synthesized in aqueous extract of *Allium sativum* perturbs the structural integrity of Calf thymus DNA trough intercalation an groove binding. *Mat. Sci. Eng. C* **74**, 597–608 (2017)
67. Vyas, J., Rana, S.: Antioxidant activity and green synthesis of selenium nanoparticles using *Allium sativum* extract. *Inter. J. Phytomed.* **9**, 634–641 (2017)
68. Anu, K., Singaravelu, G., Murugan, K., Benelli, G.: Green-synthesis of selenium nanoparticles using garlic cloves (*Allium sativum*): biophysical characterization and cytotoxicity on Vero cells. *J. Clust. Sci.* **28**, 551–563 (2017)
69. Sribenjarat, P., Jirakanjanakit, N., Jirasripogpun, K.: Selenium nanoparticles biosynthesized by garlic extract as antimicrobial agent. *SEHS* **14**, 22–31 (2020)
70. Sheikhlou, K., Allahyari, S., Sabouri, S., Najian, Y., Jafarizadeh-Malmiri, H.: Walnut leaf extract-based green synthesis of selenium nanoparticles via microwave irradiation and their characteristics assessment. *Open Agric.* **5**, 227–235 (2020)
71. Fardsadegh, B., Vaghari, H., Mohammad-Jafari, R., Najian, Y., Jafarizadeh-Malmiri, H.: Biosynthesis, characterization and antimicrobial activities assessment of fabricated selenium nanoparticles using *Pelargonium zonale* leaf extract. *Green Process Synth.* **8**, 191–198 (2019)
72. Zeebaree, S.Y.S., Zeebaree, A.Y.S., Zebari, O.I.H.: Diagnosis of the multiple effect of selenium nanoparticles decorated by *Asteriscus graveolens* components in inhibiting HepG2 cell proliferation. *Sustain. Chem. Pharm.* **15**, 100210 (2020)
73. Deepa, B., Ganesan, V.: Bioinspiredsynthesis of selenium nanoparticles using flowers of *Catharanthus roseus* (L.) G. Don. and *Peltophorum pterocarpum* (DC.) Backer ex Heyne—a comparison. *Int. J. ChemTech. Res.* **7**, 725–733 (2015)
74. Sasidharan, S., Sowmiya, R., Balakrishnaraja, R.: Biosynthesis of selenium nanoparticles using *Citrus reticulata* peel extract. *World J. Pharm. Res.* **4**, 1322–1330 (2014)
75. Sowndarya, P., Ramkumar, G., Shivakumar, M.S.: Green synthesis of selenium nanoparticles conjugated *Clausena dentata* plant leaf extract and their insecticidal potential against mosquito vectors. *Artif. Cells Nanomed. Biotechnol.* **45**, 1490–1495 (2017)
76. Kokila, K., Elavarasan, N., Sujatha, V.: *Diospyros montana* leaf extract-mediated synthesis of selenium nanoparticles and their biological applications. *New J. Chem.* **41**, 7481–7490 (2017)
77. Gunti, L., Dass, R.S., Kalagatur, N.K.: Phytofabrication of selenium nanoparticles from *Embllica officinalis* fruit extract and exploring its biopotential applications: antioxidant, antimicrobial, and biocompatibility. *Front. Microbiol.* **10**, 931 (2019)
78. Abu-Elghait, M., Hasanin, M., Hashem, A.H., Salem, S.S.: Eco-friendly novel synthesis of tertiary composite based on cellulose and myco-synthesized selenium nanoparticles: Characterization, antibiofilm and biocompatibility. *Inter. J. Biol. Macrom.* **175**, 294–303 (2021)
79. Tripathi, R.M., Hameed, P., Rao, R.P., Shrivastava, N., Mittal, J., Mohapatra, S.: Biosynthesis of highly stable fluorescent selenium nanoparticles and the evaluation of their photocatalytic degradation of dye. *BioNanoScience* **10**, 389–396 (2020)
80. Hassanien, R., Abed-Elmageed, A.A., Husein, D.Z.: Eco-friendly approach to synthesize selenium nanoparticles: photocatalytic degradation of sunset yellow azo dye and anticancer activity. *ChemistrySelect* **4**, 9018–9026 (2020)
81. Alam, H., Khatoon, N., Raza, M., Ghosh, P.C., Sardar, M.: Synthesis and characterization of nano selenium using plant biomolecules and their potential applications. *BioNanoScience* **9**, 96–104 (2019)
82. Mellinas, C., Jiménez, A., Garrigós, M.C.: Microwave-assisted green synthesis and antioxidant activity of selenium nanoparticles using *Theobroma cacao* L. bean shell extract. *Molecules* **24**, 4048 (2019)
83. McClements, J., McClements, D.J.: Standardization of nanoparticle characterization: methods for testing properties, stability, and functionality of edible nanoparticles. *Crit. Rev. Food Sci. Nutr.* **56**, 1334–1362 (2016)
84. Tugarova, A.V., Mamchenkova, P.V., Khanadeev, V.A., Kamnev, A.A.: Selenite reduction by the rhizobacterium *Azospirillum brasilense*, synthesis of extracellular selenium nanoparticles and their characterisation. *New Biotechnol.* **58**, 17–24 (2020)
85. Bhattacharjee, S.: DLS and zeta potential - What they are and what they are not? *J. Control Release* **235**, 337–351 (2016)
86. Zhang, S.Y., Zhang, J., Wang, H.Y., Hong-Yuan Chen, H.Y.: Synthesis of selenium nanoparticles in the presence of polysaccharides. *Mater. Lett.* **58**, 2590–2594 (2004)
87. Zhao, G., Wu, X., Chen, P., Zhang, L., Yang, C.S., Zhan, J.: Selenium nanoparticles are more efficient than sodium selenite in producing reactive oxygen species and hyper-accumulation of selenium nanoparticles in cancer cells generates potent therapeutic effects. *Free Radic. Biol. Med.* **126**, 55–66 (2018)
88. Sentkowska, A., Pyrzynska, K.: Investigation of antioxidant activity of selenium compounds and their mixtures with tea polyphenols. *Mol. Biol. Rep.* **46**, 3019–3024 (2019)
89. Rahmanto, A.S., Davies, M.J.: Selenium-containing amino acids as direct and indirect antioxidants. *Life* **64**, 863–871 (2012)
90. Kondaparthi, P., Flora, S.J.S., Naqvi, S.: Selenium nanoparticles: an insight on its pro-oxidant and antioxidant properties. *Front. Nanosci. Nanotechnol.* **6**, 1–5 (2019)
91. Dumore, N.D., Mukhopadhyay, M.: Antioxidant of aqueous selenium nanoparticles (ASeNPs) and its catalysts activity for 1,1'-diphenyl-2-picrylhydrazyl (DPPH) reduction. *J. Mol. Struct.* **1205**, 127637 (2020)
92. Xiao, F., Xu, T., Lu, B., Liu, R.: Guidelines for antioxidant assays for food components. *Food Front.* **1**, 60–69 (2020)
93. Apak, R., Gorinstein, S., Böhm, V., Schaich, K.M., Özyürek, M., Güçlü, K.: Methods of measurement and evaluation of natural antioxidant capacity/activity (IUPAC Technical Report). *Pure Appl. Chem.* **85**, 957–998 (2013)
94. Wang, Y.Y., Qiu, W.Y., Sun, L., Ding, Z.C., Ya, J.K.: Preparation, characterization, and antioxidant capacities of selenium nanoparticles stabilized using polysaccharide–protein complexes from *Corbicula fluminea*. *Food Biosence* **26**, 177–184 (2018)



95. Shang, Y., Hasan, K., Ahammed, G.J., Li, M., Yin, H., Zhou, J.: Application of nanotechnology in plant growth and crop protection: a review. *Molecules* **24**, 2558 (2019)
96. Kumar, P., Mahajan, P., Kaur, R., Gautam, S.: Nanotechnology and its challenge in the food sector: a review. *Mater. Today Chem.* **17**, 100332 (2020)
97. Marquez, V.G., Moreno, A.M., Mendoza, A.B., Macias, J.M.: Ionic selenium and nanoselenium as biofortifiers and stimulators of plant metabolism. *Agronomy* **10**, 1399 (2020)
98. Nayak, V., Singh, K.R.B., Singh, A.K., Singh, R.P.: Potentialities of selenium nanoparticles in biomedical science. *New J. Chem.* **45**, 2849–2878 (2021)
99. Ikram, M., Javed, B., Raja, N.I., Mashwani, Z.U.R.: Biomedical potential of plant-based selenium nanoparticles: a comprehensive review on therapeutic and mechanistic aspects. *Inter. J. Nanomed.* **16**, 249–268 (2021)
100. Wallenberg, M., Misra, S., Björnsted, M.: Selenium cytotoxicity in cancer. *Basic Clin. Pharmacol. Toxicol.* **114**, 377–438 (2014)
101. Kuršvietienė, L., Mongirdienė, A., Bernatoniene, J., Šulinskienė, J., Štanevičienė, I.: Selenium anticancer properties and impact on cellular redox status. *Antioxidants* **9**, 80 (2020)
102. Tan, H.W., Mo, H.Y., Lau, A.T.Y., Xu, Y.M.: Selenium species: current status and potentials in cancer prevention and therapy. *Int. J. Mol. Sci.* **20**, 75 (2019)
103. Sakr, T.M., Korany, M., Katti, K.V.: Selenium nanomaterials in biomedicine – An overview of new opportunities in nanomedicine of selenium. *J Drug Deliv. Sci. Technol.* **46**, 223–233 (2018)
104. Huang, Y., He, L., Liu, W., Fan, C., Zheng, W., Wong, Y.S., Chen, T.: Selective cellular uptake and induction of apoptosis of cancer-targeted selenium nanoparticles. *Biomaterials* **34**, 7106–7116 (2013)
105. Wang, Q., Webster, T.J.: Nanostructured selenium for preventing biofilm formation on medical devices. *J. Biomed. Mat. Res. Part A* **100**, 3205–3210 (2012)
106. Wang, Q., Larese-Casanova, P., Webster, T.: Inhibition of various gram-positive and gram-negative bacteria growth on selenium nanoparticles coated paper towels. *Int. J. Nanomed.* **10**, 2885 (2015)
107. Deng, W., Wang, H., Wu, B., Zhang, X.: Selenium-layered nanoparticles serving for oral delivery of phytomedicines with hypoglycaemic activity to synergistically potentiate the antidiabetic effect. *Acta Pharm. Sin. B* **9**, 74–86 (2019)
108. El-Borady, O.M., Othman, M.S., Atallah, H.H., Moneim, A.E.A.: Hypoglycemic potential of selenium nanoparticles capped with polyvinyl-pyrrolidone in streptozotocin-induced experimental diabetes in rats. *Heliyon* **6**, e04045 (2020)
109. Ahmad, R., Srivastawa, S., Ghost, S., Khare, S.K.: Phytochemical delivery through nanocarriers: a review. *Colloids Surf. B* **197**, 111389 (2021)
110. Jain, R., Dominic, D., Jordan, N., Rene, E.R., Weiss, S., van Hullebusch, E.D., Hübner, R., Lens, P.N.L.: Preferential adsorption of Cu in a multi-metal mixture onto biogenic elemental selenium nanoparticles. *Chem. Eng. J.* **284**, 917–925 (2016)
111. Yuan, F., Song, C., Sun, X., Tan, L., Wang, Y., Wang, S.: Adsorption of Cd(II) from aqueous solution by biogenic selenium nanoparticles. *RCS Adv.* **6**, 15201–15209 (2016)
112. Wang, X., Zhang, D., Pan, X., Fahad, D.J., Al-Misned, A., Mortuza, M.G., Gadd, G.M.: Aerobic and anaerobic biosynthesis of nano-selenium for remediation of mercury-contaminated soil. *Chemosphere* **170**, 266–273 (2017)
113. Yang, J., Hou, B., Wang, J., Tian, B., Bi, J., Wang, N., Li, X., Huang, X.: Nanomaterials for the removal of heavy metals from wastewater. *Nanomaterials* **9**, 424 (2019)
114. Gudkov, S.V., Shafeev, G.A., Glinushkin, A.P., Shkirin, A.V., Barmina, E.V., Rakov, I., Simakin, A.V., Kislov, A.V., Astashev, M.E., Vodeneev, V.A., Kalinitchenko, V.P.: Production and use of selenium nanoparticles as fertilizers. *ACS Omega* **5**, 17767–17774 (2020)
115. El-Ramady, H., Faizy, E.D.S., Abdalla, N., Taha, H., Domokos-Szabolcsy, E., Fari, M., Elsakhawy, T., El-Dein Omara, A., Shalaby, T., Bayoumi, Y., Shehata, S., Geilfus, C.M., Brevik, E.C.: Selenium and nano-selenium biofortification for human health: opportunities and challenges. *Soil Syst.* **4**, 57 (2020)
116. Zsiros, O., Nagy, V., Párducz, Á., Nagy, G., Ünneper, R., El-Ramady, H., Prokisch, J., Lisztes-Szabó, Z., Fári, M., Csajbók, J., Zita, S., Garab, G., Domokos-Szabolcsy, E.: Effect of selenate and red Se-nanoparticles on the photosynthetic apparatus of *Nicotiana tabacum*. *Photosynth. Res.* **139**, 449–460 (2019)
117. El Lataef Gharlb, F., Zeid, I.M., Ghazi, S.M., Abmed, E.Z.: The response of cowpea (*Vigna unguiculata* L) plants to foliar application of sodium selenite and selenium nanoparticles (SeNPs). *J. Nanomater. Mol. Nanotechnol.* **8**, 1000272 (2018)
118. Hussein, H.A., Darwesh, O.M., Mekki, B.B.: Environmentally friendly nano-selenium to improve antioxidant system and growth of groundnut cultivars under sandy soil conditions. *Bio-catal Agric Biotechnol* **18**, 101080 (2019)

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.